Lodha Petrochem

Material Safety Data Sheet

Chemical Product & Company Identification:

Product or Trade Name	White Mineral Oil			
Product Code No.	WO	WO		
Chemical Name	Mixture of highly purified petroleum oils.			
FEMA No	CAS No . 8042-47-5	Formula: Mix. of Hydrocarbons		
Manufacturers/Distributors Name/Address : Lodha Petrochem				
301, Shalibhadra Tower, Near Naranpura Railway				
Crossing, Naranpura, Ahmedabad, India - 380013				
Mobile: +91-9537131331				

Hazard Rating

4-Extreme	Health	1
3-High	Flammability	1
2-Moderate	Reactivity	0
1-Slight	Special	
0-Insignificant	•	

Physical Data

Odour, Appearance, Physical State	Almost colorless, white liquid.
Pour Point	-15°C.
Melting Point	NA
Specific Gravity / Density@29.5°C	0.810 – 0.880
Solubility in Water	Insoluble
Vapour Pressure	N.A.
Vapour Density	N.A.

Fire, Explosion Reactivity Data

Flash Point: ABOVE 180°C.	OSHA Classification: N.A.
Method Used: COC	
Extinguishing media:	DOT Hazard Classification: N.A.
Water / Fog CO ₂ Foam Dry Chem	
Unusual fire and explosive hazards:	None (Not Flammable), but will burn at high
	temperature.
Special firefighting procedures:	Ventilate contaminated area. Eliminate
	all sources of ignition or flammable that may
	come in contact with spilled material.
Hazardous combustible or Decomposition	Prolonged & repeated contact with the material
products:	produce skin irritation & no decomposition.
Stability	Stable at room temp.
Hazardous polymerization products	N.A.
Condition to avoid	Extreme heat / sunlight.
Materials to avoid	Open flames and ignition sources.

Protection Procedure:

Respiratory:	Avoid inhalation of	Ventilation:	Normal ventilation.
	vapours, Mist of this		For use at high temp.
	product may cause		Local exhaust req.
	irritation to the mucous		
	membrane.		
Eyes:	May cause irritation on	Skin:	May cause mild irritation on
	contact. Immediately		contact. Wash thoroughly
	flush with copious amt.		with mild soap and water.
	of Water.		
Other protective devices & Procedures:		Avoid genera	tion of mist. Avoid inhalation of
		vapours. Vent	rilate the area on spillage.

Occupational Exposure Limit:

This material does not contain components which appear in 29CFR 1910.1000.

The permissible limits are:

TWA (PPM)

STEL (PPM)

CEILING (PPM)

Has this product been listed as a carcinogen or potential carcinogen in the 'Annual Report Carcinogen' published by NTP, OSH or the international agency for research on Cancer?

N.A.

Health Hazard Information

Routes of Entry:	Hand, Eyes, Oral & Inhalation.	
Prevent entering streams, sewers or drinking water supply.		
Symptoms of exposure:	Oral: Will cause nausea, vomiting & diarrhea but	
	has a low order of toxicity.	
Medical conditions aggravated by exposure	Seek physician's advice.	

Emergency and First Aid Procedure

Inhalation exposure:	Remove to fresh air & provide oxygen, if breathing is difficult. Contact
	physician.
Skin contact:	Remove contaminated clothing. Flush skin with water. Wash skin
	thoroughly with mild soap & water. If irritation occurs, call a physician.
Swallowing or other:	Do not induce vomiting. In general no treatment is necessary
	unless large quantities are ingested. Get medical advice.

Spill, Leak and Disposal Procedure

Contain or dike spill material where possible.
Absorb the remaining material with an inert
absorbent & shovel into proper waste disposal
container.
Dispose off at an appropriate waste disposal
facility in accordance with current applicable
laws and regulations.

Handling and Storage Procedures

Protective measures during repair/	Wipe and clean contaminated equipment
Maintenance of contaminated equipment:	Or parts.
Hygienic practices for handling:	Do not get into eyes. Avoid skin contact &
	inhalation. Do not take internally.
Others:	Keep container sealed.

Ecological Information

- No specific ecological data available.
- Water Hazard class (FRG): WGK 2 (self classification)

Transport Information

- Technical name Mineral Oil
- US DOT STATUS: REGULATED BY THE US DEPARTMENT OF TRANSPORTATAION AS A NON HAZARDOUS MATERIAL.
- Proper Shipping Name: Not regulated
- Packing Group: Not Applicable
- Hazard Class: Not regulated
 UN/NA Number: Not Applicable
- MARPOL III status: Not a DOT Marine Pollutant

Fire Fighting Procedure

- Suitable Extinguishing agents: Water, extinguishing powder, CO2, foam
- Exposure hazards: In case of fire the fumes may content lead oxides.

Special protective equipment: Self-contained breathing apparatus.

Accidental Release Measures

Personal Precautions: Prevent formation of dust.

Take care for proper ventilation and protective mask.

Environmental Precautions: Do not allow getting into soil, drains or water.

Cleanup procedure: Collect in suitable container.

Label with stickers.

Other Information: This safety data sheet shows our actual knowledge about our products. It is not a guarantee for certain properties.

DISCLAIMER:

Information contained in this material data sheet is believed to be reliable, but no representation, guarantee or warranties of any kind made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller to ensure that the information content in the material data sheet is relevant to the product manufactured / handled or sold by, as the case may be. **LODHA PETRO** makes no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.